

INDEX MAPS.

T.11N R.1W 2nd Mer.

	333	333-334	333-334	332-334	332-334	332-335	
337	6 368	5 367	360 359	4 354	3 349	2 349	1 343 331
	368	367	359	354	354	349	342
337	7 367	8 359	9 354	10 353	348 348	11 348	12 341 331
	366	366	359	353	348	341	
336	18 365	17 365	16 358	15 353	14 347	14 346	13 340 331
	365	364	357	352	346	340	
336	19 364	20 364	21 357	22 352	23 345	✓ 339	24 330 331
	363	362	356	356	345	339	
335	30 362	29 361	28 356	27 351	26 345	25 344	25 339 330
	361	361	355	355	344	338	
335	31 361	32 361	33 355	34 350	35 344	35 344	36 338 330
	328	328	327-329	327-329	327-329	327-329	

Meanders of White River 369

T.12N R.1W 2nd Mer.

	388	387	387	386	386	386	
390	6 418	5 417	411 410	4 406	3 400	2 400	1 395 385
	418	417	410	405	400	398	394
389	7 417	8 410	9 405	10 405	399 399	11 399	12 385
	416	416	410	404	399	393	
389	18 416	17 409	16 404	15 398	14 398	13 393	13 385
	415	415	409	403	398	392	
389	19 414	20 408	21 403	22 397	23 397	24 392	24 384
	414	413	408	402	397	391	
388	30 413	29 407	28 402	27 396	26 396	25 391	25 384
	412	412	407	401	396	390	
388	31 411	32 406	33 401	34 395	35 395	36 390	36 384
	382	382	381-383	381-383	381-383	381-383	

(P) The figures on the lines refer to the page.

Township No 11. N.R. No 1 West of the Ind. Mar. Ind.
ch. 10.

South Boundary.

- West On a Road on the South side of sec. 36. T. N.
11 N.R. N. 1 W.
40.00 Set a temporary post for the cor. to 1/4 sec.
40.00 To a Brook 30 miles dist; comes N.W.
17.00 " " Spring comes N.W.
80.00 Set a temporary post for the cor. to sec. 35 & 36.
T. N. 11 N.R. N. 1 W.
Lands broken & hilly; Timber Oak, Birch, Sugar,
Poplar,

- West On a Road on the South side of sec. 35. T. N.
11 N.R. N. 1 W.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.00 Set a temporary post for the cor. to sec. 34 & 35
T. N. 11 N.R. N. 1 W. Lands broken & hilly
Timber Oak, Birch, Poplar, & very brushy.

- West On a Road on the South side of sec. 34. T.
N. 11 N.R. N. 1 W.
40.00 Set a temporary post for the cor. to 1/4 sec.
79.50 To a Brook 30 miles dist; comes N.W.
80.00 Set a temporary post for the cor. to sec. 33 & 34. T.
N. 11 N.R. N. 1 W. Lands level & middling
grade for farming; Timber Oak, Birch & Ash,
2nd rate lands.

Saturday May 21. 1819.

- West On a Road on the South side of sec. 33. T. N.
11 N.R. N. 1 W.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.00 Set a temporary post for the cor. to sec. 32 & 33.
T. N. 11 N.R. N. 1 W.
Lands very broken & hilly; Good soil.
Timber same as on the last mile.

T. N° 11. N.R. N° 1st. Quad. Mer. Ind.^a)

- West On a Random line South side of sec. 32. T. N° 11. N.R. N° 1st.
- 38.00 To a Brook 5 miles west; Comer S.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 78.00 To a Brook 8 miles west; Comer S.W.
- 80.00 Set a temporary post for the cor. to sec. 31 & 33 T. N° 11 N.R. N° 1st. Land rolling & roads for farming: Trinito Line.
-

West On a Random line with S Boundary of sec. 31.

T. N° 11. N.R. N° 1st.

- 22.80 To a Brook 12 miles west; Comer S.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 67.50 Intercepted the Range line at the Town cor.
-

East In the true line. South Boundary of sec. 31. T. N° 11 N.R. N° 1st.

- 27.50 Set a post on the true line for the cor. to $\frac{1}{4}$ sec. from which a W Oak 12 in. dia. bears S 14° W. 43° miles dist; to a W Oak 31 in. " " N 57° E. 27 " "
- 37.80 To a Brook 8 miles west; Comer S.W.
- 67.50 Set a post for the cor. to sec. 31 & 33. T. N° 11 N.R. N° 1st. from which a W Oak 30 in. dia. bears S 48° E. 5 miles dist; to a Poplar 12 in. " " S 53° W. 25 " "
-

East On a true line South Boundary of sec. 32. T. N° 11 N.R. N° 1st.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Beech 24 in. dia. bears S 13° E. 42 miles dist; to a D. 30 " " N 76° W 32 " "
- 80.00 Set a post for the cor. to sec. 32, & 33. T. N° 11 N.R. N° 1st. from which a W Oak 18 in. dia. stands N 70° E. 36 miles dist; W. Oak 27 in. " " S 77° W. 33 " "
-

T. N° 11 R.R. N° 1 W. 2nd Mer. (Ind.)

East On the true line South Boundary of sec. 33. T. N° 11
R.R. N° 1 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Bush 12 in. dia. Stands N71 E. 9 miles dist; to
Noyek, 18 " " S16 E. 18 " "
80.00 Set a post for the cor. to sec. 33. 134 T. N° 11
R.R. N° 1 W. from which a
Huckleberry 11 in. dia. Stands S71 E. 16 miles dist;
to 1st 27 " " S60 W. 33 " "

East On a true line. South Boundary of sec. 34. T. N° 11
R.R. N° 1 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dogwood 9 in. dia. Stands N42 W. 5 miles dist; to
W. Oak 30 " " S64 E. 27.
80.00 Set a post for the cor. to sec. 34. 135 T. N° 11 W.
R. N° 1 W. from which a
Bush 18 in. dia. bears N68 39 miles dist; to
W. Oak 18 " " N62 E. 36 " "

East On a true line South side of sec. 35 T. N° 11 W.
R. N° 1 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Huckleberry 8 in. dia. bears S11 W. 31 miles dist; to
Noyek, 11 " " N16 W.
80.00 Set a post for the cor. to sec. 35. 136 T. N° 11
R.R. N° 1 W. from which a
Huckleberry 9 in. dia. bears N59 E. 13 miles dist; to
Gum 24 " " S35 W. 27.

East On a true line on the South Boundary of sec. 36. T.
N° 11 R.R. N° 1 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Huckleberry 18 in. dia. bears S57 W. 15 miles dist; to
P.B. Walnut 24 " " N64 E. 30 " "
80.00 To the cor. of Town N° 10 & 11. R.R. 18 & 1 W.

T. N° 11 A. R. N° 1 W. 2nd Mer. (Ind.)

Tuesday May 24th 1819.

North On the 2nd Mer. East side of sec. 36. T. N° 11 A.
R. N° 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Oak 20 m. dia. bears N 61 E 10 miles dist; & a
W. Oak 10 " " S 47 W. 15 " "
57.00 To a Creek 20 miles dist; compass W.
80.00 Set a post for the cor. to sec. 25. & 36. T. N° 11 A.
R. N° 1 W. from which a
Sugar 15 m. dia. bears S 15 E 25 miles dist; & a
Beech 5 " " N 84 W 20 " "
Same hilly undulating route. Timber Oak, Beech,
Sugar.

North On the 2nd Mer. East Bound. of sec. 25. T. N°
11 A. R. N° 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 m. dia. bears S 69 E. 9 miles dist; & a
Beech 10 " " N 30 E 16 " "
80.00 Set a post for the cor. to sec. 24 & 25. T. N° 11
A. R. N° 1 W. from which a
Beech 10 m. dia. bears N 63 E 7 miles dist; & a
Hickory 18 " " S 53 E 15 " "
South half same as in the last mile; North
1/2 level; some parts rather resembles river bottom
Timber Beech, Oak, Hickory.

North On the 2nd Mer. East Bound. of sec. 24. T. N°
11 A. R. N° 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 24 m. dia. bears N 73 E. 22 miles dist; & a
W. Beech 5 " " S 13 W. 10 " "
46.00 To a Brook 20 miles dist; compass W.
80.00 Set a post for the cor. to sec. 13 & 24. T. N° 11 A.
R. N° 1 W. from which a
B. - 10 m. dia. bears S 16 W. 19 miles dist; &

J. No 11 NTP. No 177 2nd Mar (Jan 14)

Wichit 27 mi. dia. bears S69W. 10 miles dist; per rate bottom lands. Tintow Buck, Augm, Wichit.
1 Ash.

North On the 2nd Mar. East Boundary of sec. 13. J. No 11
NTP. No 177.

40.00 Set a post for the cor. to '4 sec. from which a
Sugar 12 mi. dia. bears S57E 26 miles dist; 1 w.
Do 24 " " S78W 53 " "

57.50 To a Brook 8 miles east; comes N.E.

78.00 To a Brook 100 " " " S.W.

80.00 Set a post for the cor. to sec. 12 & 13. J. No 11 N.
NTP. No 177. from which a
W. Buck 10 mi. dia. bears N89E 28 miles dist; 1 a
Buck 30 " " N79W 38 " "
South p. lands same as on the last mile; N.p. Valley

North On the 2nd Mar. East Boundary of sec. 13. J. No
11. NTP. No 177.

40.00 Set a post for the cor. to '4 sec. from which a
Huckleberry 12 mi. dia. bears N70W - like dist; 1 a
Do 18 " " N50E 42 " "

72.00 To a Bayou.

80.00 Set a post for the cor. to sec. 1 & 13 J. No 11 N.
NTP. No 177. from which a

Cottonwoods 24 mi. dia. bears S41W 15 miles dist; 1 a
Do 18 " " N16W 22 " "
Lands per rate bottom which overflows.

North On the 2nd Mar. East Boundary of sec. 1. J. No 11.
NTP. No 177.

40.00 Set a post for the cor. to '4 sec. from which a
Sycamore 10 mi. dia stands S9W 10 miles dist; 1 a
also 15 " " N40W 10 " "

45.13 To a Sycamore 12 mi. dia. stands in the line for
the cor. to sec. 1 & 6. on the bank of White River

T. N^o 11. A.R. No 1st fl. 2nd Mar. 1819.

- 56.89 To a Sycamore 20 in. dia stands for the cor. to
sec. 1st. on the Right Bank of White River
80.00 Set a post for the cor. to sec. 16. 31. 36. T. N^o 11.
+ 10, 12 A.R. S 1 E. 1st fl. from which a
Buck 10 in. dia. bears N 82 E. 10 miles dist; to
No. 30 " " " S 84 W 26 " "
Soil, soil, timber to same as in the last mile.

North Boundary

Wednesday May 25th 1819. Var. 5° 35'

West On a Random line South Boundary of sec. 36. T. N^o
12. A.R. No 1st.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
57.00 To a Brook 70 miles dist; Conne S.
80.00 Set a temporary post for the cor. to sec. 35. 136. T.
N^o 12 A.R. No 1st.
East 3/4 of the lands flat low bottom. Plant over-
grown; next 1/4 hilly; Timber Oak sugar, Ash,
& Buck.

West On a Random line South Boundary of sec. 35. T. N^o
11 A.R. No 1st.

- 5.00 To a Spring 2 miles dist; Conne S.
10.00 " " " Brook 8 " " "
40.00 Set a temporary post for the cor. to 1/4 sec.
41.00 To a Brook 3 miles dist; Conne S.
54.00 " " " 8 " " "
80.00 Set a temporary post for the cor. to sec. 34 & 35. T. N^o 11
A.R. No 1st. Lands hilly good 2nd into lands
Timber Buck, sugar, Oak, & White.

West On a Random line North Boundary of sec. 34. T. N^o
11. A.R. No 1st.

- 10.00 To a small Brook - miles dist; Conne S.
26.00 " " " Brook 10 " " "
40.00 Set a temporary post for the cor. to 1/4 sec.

T. No. 11. M.R. No 17th. 2nd Mer. (Ind.)

- 56.00 To a Brook 4 miles west; course S.
80.00 Set a temporary post for the cor. to 1/4 sec. 33 & 34
T. No. 12 M.R. No 17th. Same as on the last;
mile.
-

Thursday May 26th 1819.

- West On a Random line South Boundary of sec. 33. T. No. 12 M.R. No 17th.
40.00 Set a temporary post for the cor. to 1/4 sec.
41.00 To a Brook 12 miles west; course S.
46.00 To a Spring branch 3 miles west; course S.E.
80.00 Set a temporary post for the cor. to sec. 32, & 33. T.
No. 12 M.R. No 17th. Same as on the last
mile.
-

- West On a Random line South Boundary of sec. 32 T. No. 12 M.R. No 17th.
0.50 To a Brook 3 miles west; course S.
33.00 To a Brook 50" " " S.
40.00 Set a temporary post for the cor. to 1/4 sec.
80.00 Set a temporary post for the cor. to sec. 31 & 32. T.
No. 12 M.R. No 17th. Same E. 1/4 rich bottom
W 1/4 very hilly; timber same.
-

- West On a Random line South side of sec. 31. T. No. 12
M.R. No 17th.
40.00 Set a temporary post for the cor. to 1/4 sec.
69.84 Intersects the Range line 40 1/2 miles south of
of the Impv. Township cor. for T. 11. 11. & R.
12. M.R. No 17th. Same very hilly
-

- East On a true line. South Boundary of Sec. 31 T. No. 12
M.R. No 17th.
29.84 Set a post on the true line for the cor. to 1/4 sec.
from which a Bush 10 m. due east South of the ditch; a
Gum 12 m. due east N 12th 27. miles due;

T. N^o 11. N.T.R. N^o 1 W. 2nd Mer. (End.)

- 69.84 Set apart on the true line for the cor. to Sec. 31. 1st
T. N^o 12. N.T.R. N^o 1 W. from which a
Beech 14 m. dia bears \$23 E. 6 miles dist; & a
Poplar 18 " " " \$65 W. 31 " "

East On a true line South Boundary of sec. 32. T. N^o
12 W. 4th R. N^o 1 W.

- 40.00 Set apart on the true line for the cor. to 1/4 sec. from
which an Elm 11 m. dia bears \$47 W. 50 miles dist;
and an Ash 6 " " " \$18 E. 22 " "
- 80.00 Set apart on the true line for the cor. to Sec. 32
33. T. N^o 12. N.T.R. N^o 1 W. from which a
Beech 9 m. dia bears \$162 E. 23 miles dist; & a
Locust 10 " " " \$13 W. 13 " "

East On a true line South Boundary of sec. 33. T. N^o
12. N.T.R. N^o 1 W.

- 40.00 Set apart on the true line for the cor. to 1/4 sec. from
which a Sugar 9 m. dia bears \$77 W. 52 miles dist.
- 80.00 Set apart on the true line for the cor. to Sec. 33
734 T. N^o 12. N.T.R. N^o 1 W. from which a
Beech 10 m. dia bears \$56 W. 24 miles dist; & a
Locust 13 " " " \$54 E. 26 " "

East On a true line South Boundary of sec. 34. T. N^o
12. N.T.R. N^o 1 W.

- 40.00 Set apart on the true line for the cor. to 1/4 sec. from
which a Beech 18 m. dia bears \$141 E. 36 miles dist;
and a Sugar 8 " " " \$29 W. 33 " "
- 80.00 Set apart on the true line for the cor. to Sec. 34 1/35
T. N^o 12. N.T.R. N^o 1 W. from which a
Beech 8 m. dia bears \$29 W. 45 miles dist; &
Dogwood 8 " " " \$36 W. 10 " "

East On a true line South Boundary of sec. 35. T. N^o 13
N.T.R. N^o 1 W.

T. N^o. 11 N.Y.R. N^o. 177. 2nd Mar. (Ind.)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 18 in. dia. bears S60 $^{\circ}$ W. 15 miles dist; to a
do 18 " " N88 $^{\circ}$ 19 " "
- 80.00 Set a post on the true line for the cor. to sec. 35 & 36
T. N^o. 12 N.Y.R. N^o. 177. from which a
Buck 9 in. dia. bears N71 $^{\circ}$ E. 20 miles dist; to a
do 18 " " N10 W. 25 " "
-

East On true line South Boundary of sec. 36. T. N^o. 12
N.Y.R. N^o. 177.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 30 in. dia. bears S24 $^{\circ}$ W. 4 miles dist; to a
do 18 " " N51 $^{\circ}$ 27 " "
- 80.00 Set a post set for the cor. to T. N^o. 11, 11 & 12, 12, N.
R. N^o. 18 & 17. 2nd Mar.
-

West Boundary. N. 6 $^{\circ}$ 30'

- North On the East Boundary of sec. 36. T. N^o. 11. N.Y.R. N^o. 277
13.00 To a Brook 8 miles west; corner S.W.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hickory 24 in. dia. bears North 26 miles dist;
Buck 18 " " S28 W. 31 " "
80.00 Set a post for the cor. to sec. 25 & 36. from which
a W. Oak 12 in. dia. S47 E. 9 miles dist; to a
W. Oak 31 " " N34 E. 19 " "
Sand very broken and shilly; rich loam; limited
Beech, Sugar, Oak Hickory &c
-

x - North On the East Boundary of sec. 25 T. N^o. 11 N.Y.R.
N^o. 277.

- 40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
W. Oak 12 in. dia. bears S20 E. 29 miles dist; to
Elder 18 " " S87 W. 24 " "
71.00 Set a post on the Left Bank of White River.
for the cor. to sec. 25 & 30. T. N. R. N^o. 182 W.
from which a W. Oak 30 in. dia. bears N87 E. 3

J. N° 11. R.R. N° 1 W. 2nd Mer. And.

- W Oak 5 in. dia. base \$65 W. 21 miles east;
78.00 set apart on the R. Bank of White River for
the cor. to sec. 25. 13th T^s N. 11. R.R. N° 11.
W. 2nd Mer. from which a
Maple 9 in. dia base \$54 W. 9 miles east; to
R. Elm 6 " " \$69 E. 18 " "
80.00 set apart for the cor. to sec. 24 125 T. N° 11 N.
W. R. 2 W. 2nd Mer. from which a
Sorrel 10 in. dia base \$50 W. 15 miles east; to
Elm 12 " " \$49 E. 24 " "
This mile river bottom R. rate set; overfence.

X Match On the East Boundary of sec. 21 T. N° 11. R.R.
N° 2 W.

- 11.33 To a Maple - in dia stands on the R. Bank
of White River for the cor. to sec. 19 & 24. T^s
11 R.R. N° 112 W.
32.08 To a Maple 12 in. dia which stands on the R. Bank
of White River for the cor. to sec. 19 & 24
T^s 11 R.R. N° 142 W.
40.00 Set apart for the cor. to sec. 24 sec. from which a
Buckeye 10 in. dia base \$53 E. 12 miles east
to No. 10 " " \$87 W. 20 " "
67.50 To a Bay or 55 miles east; Contra W.
80.00 Set apart for the cor. to sec. 13 & 24. T. N° 11 N.
W. R. 2 W. from which a
Hickory 9 in. dia. base \$38 E. 7 miles east; to
No. 12 " " \$23 W. 31 " "
Sands same.

X Match On the East Boundary of sec. 13 T. N° 11 R.R.
N° 3 W.

- 40.00 Set a post for the cor. to sec. 14 from which a
Buck 15 in. dia base N. 23 W. 19 miles east; to
No. 8 " " \$56 E. 16 " "
80.00 Set apart for the cor. to sec. 12 & 13. T. N° 11 N.

T. N^o. 11 N.W. R. N^o. 1 W. 9th Mer. (Sud.)

R.R. N^o. 1 W. From which a
Buck 18 m. dia bears S19 E. 13 miles due; to a
W Ash 24 m. n. N23 W. 10 n. n.
Sands all bottom; Sph. rather wet the st. P. P.
rate.

North On the East Boundary of sec. 12 T. N^o. 11 N.W. R. N^o.
1 W.

40.00 Set apart for the cor. to 1/4 sec. from which a
Buck 24 m. dia bears N75 W. 27 miles due; to
Oak 51 n. n. n. S33 E. 8 n. n.
* 80.00 Set apart for the cor. to sec. 1. 11 D. T. N^o. 11 N.
R. N^o. 1 W. From which a
Buck 12 m. dia bears N75 W. 30 miles due; to
Maple 30 n. n. n. N37 E. 23 n. n.
* 41.95 To a Brook 20 miles due; corner S.W.
62.00 " " " 20 n. n. " S.E.
Sands 2 mdo rate bottom; Part rather wet;
Much Beach, some Hixey, ash, Elm Maple
Timber etc.

North On the East Boundary of sec. 1 T. N^o. 11 N.W. R.
1 W.

40.00 Set apart for the cor. to 1/4 sec. from which a
Buck 9 in dia bears S69 W. 32 miles due,
Hg 9 n. n. n. S48 E. 33 n. n.
80.00 Set a temporary spot for the cor. to corner 11. 11. 8
10. 10. N.R. N^o. 142 W. South p. lands
similar to the last mile; North p. Hixey & Elm
Timber Oak, Buck, Hixey; bushy
Bearings to this cor.
Hixey 18 m. dia bears N66 E. 24 miles due;
{ S. Oak 31 n. n. n. S76 W. 41 n. n. }

T. N. 11. R. R. No. 1 W. 2nd Mer. (Inc.)

Subdivisions

- North Vermont Sub. 35136 T. N. 11. R. R. N. 1 W.
 24.15 To a Beech 18 in. dia. stands in the line
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Beach 8 in. dia. bears N 41 E. 45 miles due; to
 110 5 n n - \$2077.20 - -
 61.25 To a Beach 24 in. dia. stands in the line.
 80.00 Set apart for the cor. to Sec. 25, 26, 35136.
 From which a Beach 18 in. dia. bears N 77 W 11
 miles due; to 110 18 n n - \$7577.10
 n n Broken 3rd rate lands; Timber Beach
 W. Oak, & Hick. &c. N. J. Sassafras & Dogwood
 Innwood Briar &c.

East On a Random line between Sec. 25136 T. N. 11
 R. R. N. 1 W

- 11.40 To a Brook 25 miles mid; corner N. E. 4th.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 73.00 To a spring Branch corner S. E. 4th.
 78.96 Intersected the East Boundary of T. N. 11 R.
 R. N. 1 W. 20 miles S. of the post set for the
 cor. to Sec. 25136. Lands part rock & part
 Broken 2nd & 3rd rate; W. H. B. & Sp. Oak
 Hick. & So forth. N. J. Dogwood, Sassafras,
 Ash &c.

West Corridor between Sec. 25, 136. T. N. 11. R.R.
 N. 1 W

- 18.16 To a Beach 6 in. dia. stands in the line.
 39.48 Set a post temporary post at the aver. dist. on the
 true line for the cor. to 1/4 sec. from which a
 Beach 6 in. dia. bears N 49 E. 10 miles due; to
 110 18 n n - \$2377.12 n n
 57.71 To a Beach 10 in. dia. stands in the line.
 78.96 To the post set for the cor. to Sec. 25, 26, 35, 136

5 N° 11 M.R. N° 177. 2nd Mar. Ina.

- North Pittman Det. 25, 26. 5 N° 11 M.R. N° 177
- 14.00 To a Brook 20 miles nide; Conine N.W.
- 21.20 n n Beech 18 in. dia. Stands in the sw.
- 40.00 To a Brook 14 in dia which stands for the cor.
to Det. 23, 24, 25, 26. From which a
Beech 10 in. dia. bears N 31 W. 32 miles east
Ash 2 in. n. n. S 37 W. 14 in. n.
- 61.00 To a Hornbeam 4 in. dia. Stands in the sw.
- 80.00 Set a post for the cor. to Det. 23, 24, 25, 26. From
which a Beech 16 in. dia. bears N 34 E. 24 miles,
and a Do 19 in. n. n. S 59 E. 32 in. n.
Stands here 2nd rate; Timew. Beech, Ash
W. Oak, Elm & Hick. &c. N.G. Spur 10.

East On a Hamlin line between Det 24, 25, 7 N°
11 M.R. N° 177.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 78.84 Intersects the E Boundary 26 miles N of the
post set for the cor. to Det. 24, 25. Stands here
2nd rate; Timew. Beech, Hick., W. Oak, Ash,
Elm, &c. N.G. Spur, Hopter, &c.

West On the true line between Det 24, 25 5 N° 11 M.R.
N° 177.

- 16.06 To a Brook 20 in. dia. Stands in the sw.
- 39.40 Set the temporary post at the cor. dist; on the true
line for the cor. to 1/4 sec. From which a
Beech 18 in. dia bears S 71 W. 15 miles east; to a
W. Oak 16 in. n. n. N 25 W. 8 in. n.
- 56.30 To a Walnut 16 in. dia. Stands in the sw.
- 78.84 To the post set for the cor. to Det. 23, 24, 25, 26,

North Pittman Det. 23, 24. 5 N° 11 M.R. N° 177.

- 3.00 To a Brook 15 miles nide; Conine N.W.
- 14.88 n n S. Do n n - N.E.
- 19.84 To an Ash. 18 in. dia. Stands in the sw.

T. N. 11. M.R. N^o 1 W. 2nd Mer. (Sud.)

- 40.00 Set apart for the cor. to 1/4 sec. from which a
Sugar 18 in. dia. bears N 40 E. 4 miles dist; & a
Buck 4 in. dia. N 11 W. 5 in. —
- 47.50 To the above stream course N. N. W.
- 60.00 To an Elm 54 in. dia. Stands in the line.
- 80.00 Set a post for the cor. to sec. 13 14. D. 3. 0 24 from
which a Hackberry 12 in. dia. bears N 36 W. 5 miles
dist; & a Hickory 18 in. dia. S 53 E. 22 in.
— Sand bed 1st & 2nd rate; Timber Buck,
Ash, H. Oak, Sugar, Hickory, Walnut, Hackberry,
Buckeye &c. N. 9 Spic. to Nov. 1st. 1819.

East On a Mandan River between Sec. 13 & 24 T. N. 11.
M.R. N^o 1 W.

- 40.00 Set a temp. post for the cor. to 1/4 sec.
- 56.50 To a Spring & Branch course S. N. W.
- 78.40 Intersected the E. Boundary of T. N. 11. M.R. N^o
1 W. 42 miles N. of the first set for the cor. to
sec. 13 & 24. Sand 2nd rate; Timber Wal-
nut, Shell bark, Hickory, Ash, Sugar, Hickory
H. Oak, Buck, &c. N. 9 Spic. &c.

West On a true line between Sec. 13 & 24. T. N. 11.
M.R. N^o 1 W.

- 17.86 To an Ash. 18 in. dia. Stands in the line.
- 39.20 Set apart for the cor. to 1/4 sec. at the divide
of the true line. from which an
Ironwood. 4 in. dia. stands N 45 E. 12 miles
dist; & a Do 3 in. — N 46 W. 15 in.
- 53.36 To a Buck 42 in. dia. Stands in the line.
- 78.40 To the post set for the cor. to sec. 13 14. D. 3. 0 24.

North Between Sec 13 & 14. T. N. 11. M.R. N^o 1 W.

- 27.07 To a sugar 28 in. dia. Stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 3 in. dia. bears N 33 W. 21 miles dist; & a

T. N. 11. N. P. No 177. 2ndd Mer. (Ind.)

- Buck 18 m. dia. bears N 31 E. 30 miles west; 1
 43.70 Set apart on the Left Bank of N. River. for the
 cor. to Sec. 13 & 14 T. N. 11 N. P. No 177. from which
 a Maple 16 m. dia. bears S 37 W. 10 miles west; to
 N. 4 " " " N 40 E. 23 " "
 48.27 Set apart on the R.R. Bank of N. River for the
 cor. to Sec. 13 & 14. from which a
 Blue Ash 10 m. dia. bears N. 38 W. 7 miles west; to
 Huckleberry 15 " " - N 23 E. 12 " "
 70.54 To a Shell Bank N.W. 1/4 m. dia. Mounds in the river
 80.00 Set apart for the cor. to Sec. 11, 12, 13 & 14. T. N. 11 N.
 P. No 177. from which a
 Buckeye 5 m. dia. bears N 43 E. 8 miles west; to
 Sugar 16 " " - N 54 W. 26 " "
 South of the River land 2 1/2 a. rate lands; t. limit.
 Buck, Walnut, Oak &c. S. of the River fresh
 rate lands. Timber Walnut, Huckleberry, Buckeye,
 Locust, Sugar, &c. N.G. Spec. Paperworks.

East On a Random line between Sec. 12 & 13. T. N. 11
 N. P. No 177.

- 22.17 To the N.W. Bank of White River
 26.85 " " S.E. " " " "
 40.00 Set at empty spot for the cor. to 1/4 sec. in Islands.
 42.84 Left Islands.
 54.44 To the E. Bank of N. River.
 78.56 Intersect the East Boundary of T. N. 11 N. P. No
 11. N. 177. 54 miles N. of the spot set for the cor.
 to Sec. 12, 113. Land 10 & 12 m. rate lands; Timber
 Walnut, Ash, Huckleberry. Buckeye. Sycamore
 Cottonwood 10. A.G. Spec. Paperworks. Miller &

West On the true line Between Sec. 12, 113. T. N. 11 N.
 P. No 177.

- 24.12 Set a post on the Left Bank of White River. for
 the cor. to Sec. 12 & 13. T. N. 11 N. P. No 177. from which a

J. N. H. N.H. No 177. 2nd Mar. Ind.

- Kids Woods 3 in. dia bears S47 W. 18 miles west; to
Buckeye 3" " " N54 E. 15 " "
- 35.62 Set a post in Islands on the true line, for the
cor. to set 12+13 from which a
Elm 10 in. dia bears N56 W. 9 miles west; to
S. 12 a " " S59 W. 44 " "
- 39.28 Set the trumpet post at the door. West on the true line
from the cor. to 14 sec from which a
Huckleberry 8 in. dia. Stands N60 E. 14 miles west
- 57.71 Set a post on the River Bank, in Islands on
the true line cor to set 12+13 from which a
Cottonwood 3 in. dia bears N66 E. 12 miles west;
to S. 12 4 a " " S64 E. 15 " "
- 56.69 Set a post on the N. W. Bank or N. E. Bank
White River for the cor. to set 12. 113. From which
Walnut 3 in. dia bears N10 E. 10 miles west; to a
Buckeye 13 a " " S22 W. 12 " "
- 61.46 To a sycamore 60 in. dia stands in the river
- 78.16 To the post set for the cor. to set 11. 12. 13 & 14

- North Between Set 11+12. J. N. H. N.H. No 177.
- 25.12 To a Buckeye 8 in. dia stands in the river.
- 40.00 Set a post for the cor. to 14 sec. From which a
Buckeye 8 in. dia bears N48 E. 16 miles east;
Sugar 18 " " S34 W. 28 " "
- 59.62 To a Buckeye 14 in. dia stands in the river.
- 80.00 Set a post for the cor. to set 1. 2. 11. 12. From which
a Sugar 8 in. dia bears S67 W. 15 miles east
and at Buck 4 " " N58 E. 16 " "
stands high and first rate; Timber Walnut
Huckleberry Buckeye Sugar, Cherry Bush,
W.B. Spice & Pawpaw.

East On a Random line between Set 11+12. J. N. H.
N.H. No 177.

- 40.00 Set a trumpet post for the cor. to 14 sec.

T. N. 11 R. H. R. 1. M. 2nd Mer. (Ind^c)

- 64.35 To the R. Bank of White River.
 40.00 To a Spt. " " " "
 78.40 Inter sects the E. Boundary or Ind. Mer. L. G.
 Miles N. of the post set for the cor. to Sec. 1512
 Sands land Proprietor: Timber Walnut, Sugar,
 Chestnut, Blackberry &c. M. G. Apple, Pawpaw, &c.
-

- Post on the true line Between Sec. 1512. T. N. 11 R.
 R. N. 17^r.
- 2.50 Enter Prairie
 8.38 Set a post on the left 73 rods of White River on
 the true line for the cor. to Sec. 1512 no bearing
 Post removed in Prairie;
 14.05 Set a post on the R. Bank of White River
 On the cor. to Sec. 1512 from which a
 Willow 4 in. dia bears N 53 E. 15 miles Nishita
 Cutwood Ga a a D 62 N. 48 a a
 39.20 Set the temporary post at the corr. dist. on the true
 line for the cor. to 1/4 sec. from which a
 Chestnut 24 in. dia. bears N 63 E. 5 miles Nishita
 44. 20 a a a a D 33 N 31 a a
 57.70 Is at Chestnut 36 in. dia stands in the river.
 78.40 Is the Post set for the cor. to Sec. 1. 2. 11.12
-

- North of Between Sec. 1. 52. T. N. 11 R. R. N. 17^r.
- 22.11 To a Sugar 6 in. dia. Stand in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Hornbeam 4 in. dia bears S 88 E. 10 miles dist. to
 a a a a a a N 33 W 18 a a
 48.90 To a Brook 10 miles dist; bearing E. S. E.
 61.00 in a W Oak 18 in. dia. stands in the river.
 76.28 Inter sects the N. Boundary of T. N. 11 R. R. N.
 17^r 1/3 8 miles East of the post set for the cor. to
 Sec. 35 & 36. T. N. 12 R. R. N. 17^r. I set a post
 for the cor. to Sec. 1. 52. from which a
 Chestnut 16 in. dia. bears S 21 N. 20 miles dist; to

344

J. N. 11 N.H. No 177. 2nd Mer. (Part 2)

Beech 7 in. dia. bears N 34 E. 28 miles dist., 1
Sand 1 ft. p mile land 2nd rate;
Sand p mile broken 3rd rate; Timber Poplar,
ash, sugar, W. Oak, Hickory, Beech, Hickory
&c W. Y. Amwoods, Spec. &c. Nov. 2nd. 1819.

- North Pittman Oct. 34 135. J. N. 11 N.H. No 177.
25.27 Is. a W. Oak, 18 in. dia. Stands in the river.
40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 13 in. dia. bears N 43 W. 16 miles dist., to
" " 21 " " " N 81 E. 25 " "
69.40 Is. a W. Oak 17 in. dia. Stands in the river.
80.00 Set a post for the cor. to Oct. 26, 27. 34.135
from which a Dogwood 3 in. dia. bears
N 35 W. 5 miles dist.; under a Rock 12 in
dia bears N 53 E. 8 miles dist.; Sand 3rd rate
Timber W. Oak, Hickory, Beech, Poplar, &c.
W. Y. Sassafras Amwoods and Oak, Hickory
Birches &c.

East On a hillside line between Oct. 26. 135. J. N.
11 N.H. No 177.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
80.21 Intersected the N 18 N.W. 39 miles E. of the
post set for the cor. to Oct. 25, 26. 35 & 36.
Sand Broken 3rd rate; Timber W. Oak,
Hickory, Beech &c. W. Y. Sassafras, Amwoods,
Hickory, Ash, Birches &c.

West On the true line between Oct. 26. 135 J. N. 11
N.H. No 177.

- 19.05 Is. a Beech 22 in. dia. Stands in the river.
40.10 Set the temporary post at the cor. dist. with true line
for the cor. to 1/4 sec. from which a
Beech 6 in. dia. bear N 68 W. 18 miles dist., to
Amwoods 5 " " " N 42 E. 23 " "

345

I. N. 11. N. R. N. 1 W. Grade Mar. Ind.

- 61.12 To a W. Oak 12 in. dia. Stands in the river
80.20 To the first cut for the cor. to sec. 26. 27. 34 & 35

-
- North Between Sec. 26. 127 I. N. 11. N. R. N. 1 W.
21.62 To a Hickory 22 in. dia. Stands in the river.
40.00 Set a post for the cor. to sec. 14 sec. from which a
Hickory 8 in. dia. bears N 57 W. 27 miles due
South 10 " " " S 34 E. 10 " "
64.01 To a Poplar 24 in. dia. bears in the river
80.00 Set a post for the cor. to sec. 22, 23, 26, 27. From
which a Buck 8 in. dia. bears S 30 E 15 miles due
and a 16. 18 " " " N 52 W. 54 " "
Sand broken 2nd & 3rd rate; Timber W. Oak,
Hickory, Poplar, Ash, etc. N. J. Ash, Hickory & Bri-
ars &c.

East On a Random line between Sec. 23. 126. I. N.
11. N. R. N. 1 W.

- 40.00 Set a trumpet post for the cor. to sec.
80.30 In a section the N & S line 27 miles N. of the Post
set for the cor. to sec. 23, 24, 26, 25. Sand post
had 2nd rate; & Part broken 3rd rate.
Timber W. Oak, Buck, Hickory and Ash, Sugar
etc. N. J. Spire. ash Hickory, Hazel, Pine, etc.

West On the true line between Sec. 23 & 26. I. N. 11. N. R.
N. 1 W.

- 16.88 To a Beech 20 in. dia. Stands in the river.
40.16 Set the post trumpet at the cor. dish. on the true
line for the cor. to sec. 14 sec. from which a
W. Oak, 22 in. dia. bears N 46 E. 11 miles due to
Sugar H " " " S 54 W. 18 " "
53.68 To a W. Oak 20 in. dia. Stands in the river.
80.32 To the post set for the cor. to sec. 22, 23, 26, 27.

North Between Sec. 22, 23, 25. I. N. 11. N. R. N. 1 W.

J. N. 11. R.R. No. 177. 2nd Mer. (And.)

- 17.50 To a White 17 m. dia. Stands on the line.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 W. Oak 22 m. dia. bears N 46° - 11 miles distita
 sugar 4 a - - \$5477.18 a - -
 53.15 To a Buck 16 m. dia Stands on the line
 59.84 Set apart on the left Bank of W. River for
 the cor. to Ad. 22 P.D. 3 from which a
 Buck 18 m. dia bears N 53° N. 27 miles distita
 10 a 20 a - - \$69 E. 20 a - -
 65.47 Set apart on the R. Bank of W. River for the
 cor. to Ad. 22, & 23. from which a
 Maple 14 m dia bears N 56° E. 10 miles dist
 10 a 10 a - - \$26 E. 2 a .
 81.00 Set a post for the cor. to Ad. 14, 15, 22, 23 from
 which a Blackberry 18 m. dia bears N 56° E 11
 miles dist; & a sugar 26 a - - \$4277.40
 Lands S. of the River broken 2nd
 rate; Timber Buck W. Oak, Ash, & Hickory
 Lands N. of the River broken 1st rate; Timber
 Walnut, Buckeye & Locust. Blackberry sugar
 &c. W. I. Spice Pawpaw. V. Hazel.

East On a Random line between Ad. 14 & 23. J. N. 11
 R.R. No 177.

- 13.33 To the N.W. Bank of W. River
 19.25 a a S.E. - - - - -
 26.85 a a - - - - - a on which bank? same
 32.90 a a N.W. a a - - -
 40.00 Set a temporary post for the cor. to 1/4 sec.
 50.11 To the N.W. Bank of W. River
 56.00 a a S.E. a a - - -
 81.34 Intersecta the N. & S line 28 miles N. of the
 post lot for the cor. to Ad. 13, 14, 23 & 24
 Lands broken 1st & 2nd rate; Timber Walnut
 Blackberry, Buckeye, Elm, Sugar, pecanons
 hickory &c. W. I. Spice Nettle & vines &c.

J. N. 11 M. R. N. 17 W. D. & M. (Ind.)

- West* On the true line between sec. 14 & 23. J. N. 11 M.
W. N. 17 W.
- 24.34 Set a post on the Left Bank of White River for the
cor. to fract. sec. 14 & 23. From which a
Cottonwood 8 in. dia. bears N 14 E. 11 miles dist; to
Do 12 " " " N 23 E. 21 " "
- 29.85 Set a post on the W. Bank of White River for
the cor. to fract. sec. 14 & 23. From which a
Hackberry 14 in. dia. bears N 75 W. 8 miles dist;
and an Elm 14 " " " S. 54 E. 15 " "
Set a post for the cor. to 1/4 sec., from which a
Hackberry 14 in. dia. bears N 29 E. 17 miles dist; }
and an Elm 9 " " " S. 67 W. 14 " "
- 47.14 Set a post on the ^(and meander on right bank of river) Left bank
for the cor. to fract. sections 14 & 23. From which a
Maple 14 in. dia. bears N 77 W. 7 miles dist; to
Do 10 " " " S. 45 W. 10 " "
- 53.49 Set a post on the S.E. Bank of White River for
the cor. to fract. sections 14 & 23. From which an
Ash 14 in. dia. bears S 6 E. 35 miles dist; to a
Sycamore 14 " " " N 31 W. 14 " "
- 61.09 Set a post on the Left Bank of W. River. for the
cor. to fract. sec. 14 & 23. J. N. 11 M. R. N. 17 W.
From which a Sycamore 16 in dia bears N 72 E. 20
miles dist; to Maple 14 " " " S. 32 E. 29
" "
- 67.03 Set a post on the ^{for 1/4 sec. at 40.17} Right Bank of White River for the
cor. to fract. sections 14 & 23. From which an
Elm 14 in. dia bears N 29 E. 4 miles dist; to an
ash 3 " " " S. 16 E. 10 " "
- 81.34 To the post set for the cor. to sec. 14, 15, 22, 23.
Nov. 3rd 1819.

-
- North* Between Sec. 14 & 15 J. N. 11 M. R. N. 17 W.
1875 To a Birch 7 16 in. dia stands in the line.
40.00 Set a post for the cor. to 1/4 sec. From which a

I. N. 11 N. R. N. 177. 2nd Mar. (Ind.)

- Blackberry 16 in. dia. bears N 22 E 11 miles west; 1st Buckeye 3 in. dia. S 84 W 14 in. 61.68 To a Blackberry 28 in. dia. stands in the line. 80.00 Set a post for the cor. to Sec. 10, 11, 14 & 15. From which a Blackberry 10 in. dia. bears N 61 W. 21 miles west; 1st Buckeye 6 in. dia. S 45 E. 18 in. in scrub forest oak wood. Indian Walnut, Blackberry and Ash, Buckeye, etc. M. G. Spice Pawpaw & Prickly ash.

East On a Random line between Sec. 11 & 14 I. N. 11 N. R. N. 177.

- 40.00 Set a temporary post for the cor. to 1/4 sec. 80.50 Enter across the N & S line 6 1/2 miles N of the post at for the cor. to Sec. 11, 12, 13 & 14 Sand hill and scrub rate; Indian Walnut, Sugar, Blackberry, Buckeye &c. M. G. Spice. Pawpaw. Prickly Ash.

West On the true line between Sec. 11 & 14 I. N. 11 N. R. N. 177.

- 24.20 To a Chestnut 18 in. dia. stands in the line. 40.25 Set the temporary post at the cor. dash on the true line for the cor. to 1/4 sec. from which a Blackberry 10 in. dia. bears S 14 W. 20 miles west; to do 6 in. dia. N 60 E. 12 in. 60.85 To a Buckeye 8 in. dia. stands in the line. 81.50 To the post set for the cor. to Sec. 10, 11, 14, 15.

North Between Sec. 10 & 11 I. N. 11 N. R. N. 177.

- 26.38 To a Chestnut 20 in. dia. stands in the line. 40.00 Set a post for the cor. to 1/4 sec. from which an Elm 14 in. dia. bears N 42 E. 4 miles west; to a Buckeye 6 in. dia. S 21 W. 14 in. 61.46 To a Sugar 21 in. dia. stands in the line. 62.46 Enter a Cornfield. 67.50 Left the —

T. N° 11. M.P. N° 1 W. Grade Mus. (Ind.)

- 80.00 Set a post for the cor. to sec. 2, 3, 10, 11. From which a
Buck 23 in. dia. bears N 30 W. 2 miles dist; & a
Hornbeam 6 in. ~ 1439 E 20 in. ~
Sand-hick and chestnut; timber Walnut, Blw
Ash, Cherry, Huckleberry &c. N. G. Specie, and
Pawpaw, &c.
-

East On a Random line between Sec. 2, 8, 11. T. N°
11. M.P. N° 1 W.

- 8.50 To a spring branch, lower S.
40.00 Set a temporary post for the cor. to 1/4 sec.
81.00 Intersect the N. Boundary or N 45 W. 7 1/2 miles
N of the post set for the cor. to sec. 1, 2, 11, 12.
Sand-hick and chestnut; timber Walnut, Huckleberry,
Cherry, N. Oak, Elm, Buck &c. N. G. Specie, &c.
-

West On the true line between Sec. 2 & 11. T. N° 11 M.P. N°
1 W.

- 18.86 To a Walnut 16 in. dia. stands in the line.
40.50 Set the temporary post at the ave. dist on the true line
for the cor. to 1/4 sec. from which a
Buck 28 in. dia. bears S 66 E. 25 miles dist; & a
Hick. 3 in. ~ N 70 W. 20 in. ~
61.46 To a P. Barn 24 in. dia. stands in the line.
81.00 To the post set for the cor. to sec. 2, 3, 10, 11.
-

North Between Sec. 2 & 3. T. N° 11 M.P. N° 1 W.

- 23.15 To an Ash 20 in. dia. stands in the line.
40.00 Set a post for the cor. to 1/4 sec. From which a
Dogwood 4 in. dia. stands N 32 E. 1/4 miles dist
& Buck 17 in. ~ S 45 W. 46 in. ~
53.40 To a P. Barn 15 in. dia. stands in the line.
75.00 Intersect the N. Boundary 5 1/2 miles E. of the Post
set for the cor. to sec. 34, 135. T. N° 12 M.P. N° 1 W.
and set a post for the cor. to sec. 2 & 3 from which a
P. Barn 10 in. dia. bears S 25 W. 20 miles dist; & a

S. N. 11. A.P. N. 177. 9m. Mar (Ind.)

Buck 5 mi. dia. S 4 E. 28 miles west; to
 Broken Roads & gravel lands; Timber Poplar, ash,
 sugar, Buck, W. Oak, &c. M. J. Spur, Elmwood,
 Brins. Nov. 4. 1819.

North Between Lat. 33 & 34. S. N. 11. A.P. N. 177.

10.00 To a Brook 15 miles west; leaves S. 77.

17.44 n - 110 8 n - - - - -

28.66 To a W. Oak 18 mi. dia. Stands on the line.

40.00 Set a post for the cor. to 1/4 sec. from which a

Buck 11 mi. dia. leaves S 74 N. 19 miles west; to Dogwood 3 mi. n - - - - - N 68 E. 16 n -

58.54 To a Hick., 18 mi. dia. Stands on the line.

80.00 Set a post for the cor. to Lat. 27, 28, 33, 34. From which a Dogwood 3 mi. dia. leaves N 23 E. 16 miles west; to

110 4 n - - - - S 61 N. 5 n -

Broken Roads & gravel lands; Timber W. Oak, Hick., W. Oak, Hick., Poplar, ash, & sugar, M. J. Spur, Hazel, Elmwood, Buck, Brins &c.

East On a random line between Lat. 27 & 34. S. N. 11. A.P. N. 177.

40.00 Set a timber post for the cor. to 1/4 sec.

49.90 Intersected the N. & S. line. 64 miles N of the first set for the cor. to Lat. 26, 27, 34 & 35.

Broken gravel lands. Timber W. Oak, Buck, Hick. &c. M. J. Dogwood, Elmwood, Hickory and Brins &c.

West On a random line between Lat. 27 & 34. S. N. 11. A.P. N. 177.

24.03 To a Sp. Oak, 22 mi. dia stands in the line.

39.95 Set the timber post at the ave. dist. in the true line of the cor. to 1/4 sec. from which an Elmwood 3 mi. dia bears S 48 N. 17 miles west; to Dogwood 4 n - - - - N 28 E. 27 n -

J. No 11 N.R. No 177 Grade. Mar. (Jan. 19)

- 58.94 To a Hemlock 16 in. dia. stands in the line.
79.90 To the post or for the cor. to Rev. 27, 28, 33 & 34.

- North Between Lat. 27 & 28, J. No 11 N.R. No 177.
- 15.04 To a Bush 20 in. dia. stands in the line.
- 19.83 " " Spring branch lower West.
- 40.00 Set a post for the cor. to 1/4 mi. from which a
Logwood 4 in. dia. bears N 36° E. 18 miles west; to
Bush 10 in. " " S 76° N. 15 in. "
- 61.34 To a Bush 12 in. dia. stands in the line.
- 74.00 Enter a Maple Swamp.
- 80.00 Set a post for the cor. to Rev. 21, 22, 27, 28. From
which a Maple 18 in. dia. stands N 11° W. 12 miles
west; to a Maple 18 in. " " S 19° E. 20 in.
Sand flat bed 2nd do rate; Part broken 3rd do rate
Tamar. W. Oak, Birch, Ash, Maple, M. G. Spruce,
Hazel, Hemlock, Ironwood, & Bush, W. G.;

East On a Random line between Lat. 27, 28, J. No 11
N.R. No 177.

- 5.50 Left Swamp.
- 35.00 To a Brook 6 inches wide; course N. N. E.
- 40.00 Set a timber post for the cor. to 1/4 mi.
- 80.00 Enter into the N. & S line 65 miles N. of the first set
for the cor. to Rev. 22, 23, 26, & 27. Sand flat bed
2nd do rate; Part broken 3rd do rate. Tamar. W. Oak
B. Black, Birch, Hemlock & Logwood. M. G. Spruce.
Ironwood and Pine & Hazel do.

West On a true line between Lat 22, 197. J. No 11 N.R.
No 177.

- 15.00 To a Bush 16 in. dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 mi. at the avon. ditch on
the true line. From which a
Poplar 36 in. dia. bears S 65° W. 14 miles west; to a
Ironwood 3 in. " " N 48° E. 16 in. "

T. N. II. N. R. No 177. grade Mar. (Ind.)

- 6230 To a Poplar 18 in. dia. Stands in the line.
80.00 To the post set for the cor. to set. 21, 22, 27, 128.

North Between set. 21, 122, T. N. II. N.R. No 177.

1.50 Left Swamp.

22.18 To a B. Walnut 36 in. dia Stands in the line.
a Pond. 250 miles west; lower N.E.

40.00 Set a post for the cor. to 1/4 mi. from which a
Sugar 20 in. dia bears 153 E. 17 miles west; to a
Hornbeam n n \$83 N. 21 n n

54.22 To a Blackberry 16 in. dia. Stands in the line.

57.35 Set a post on the left. Bank of W. River for the
cor. to fract. set. 21, 122. From which an
Elm 10 in. dia bears 150 E. 4 miles west; to
Elm 7 n n \$42 N. 4 n

67.55 Set a post on the R. Bank of W. River for the
cor. to fract. set. 21, 122. From which a
Maple 14 in. dia bears 155 N. 4 miles west; to
Do 10 n n \$3.98 10 n

80.00 Set a post for the cor. to set. 15, 16, 21, 122, T. N.
II. N.R. No 177. From which a
Red Bud 6 in. dia bears \$83 E. 20 miles west; to
A Buckeye 14 n n \$65 N. 27 n
Several fresh oaks, timber, Locust &
Ash, & Buckeye. & a W. Spice & Pawpaw, &c.

East On Random line between set. 15, 22, T. N. II. N.
R. No 177.

40.00 Set a temporary post for the cor. to 1/4 mi.

79.86 Intersected the C.W.S. line 86 miles N. of the post.
Set for the cor. to set. 14, 15, 22, 123.
Pando, soil, timber &c same as on the last mile.

West On the true line between set. 15, 22, T. N. II.
N.R. No 177.

24.74 To a Hull Park Hick 22 in. dia Stands in the line.

T. N^o 11. N.Y. N^o 1 W. 9 miles NW. (End^o)

- 39.93 Set the temporary post at the corner. Post on the true line for the cor. to 14 sec. from which a
W. Horn 11 in. dia. bears S56 E. 19 miles dist; & a
B. Walnut 28 in. n. n. N37 N. 6 a. ~
- 61.14 To a Walnut 20 in. dia. stands on the line.
- 79.86 Set the post set for the cor. to sec. 15. 16. 21 & 22
Nov. 5th 1819. ~

North Between Sec. 15. & 16 T. N^o 11. N.Y. N^o 1 W.

31.00 To a Walnut 20 in. dia. stands on the line.

40.00 Set a post for the cor. to 14 sec. from which a
Sugar 16 in. dia. bears N20 W. 10 miles dist. & a
Br. Oak 3 in. n. n. N18 E. 16 in. ~

65.46 To a Small Bark Hickory 21 in. dia. stands on the line.

80.00 Set a post for the cor. to sec. 9. 11. 15. 16. From which
Buck 22 in. dia. bears N77 E. 30 miles dist; & a
Ho. 18 in. n. ~ S76 W. 52 in. ~
Same loc. and fresh tree; Timew B. Walnut Hock
berry, Buckeye, Sugar, Buck, &c. W.M. Spiv, Paw.
Paw. & Hickory &c

East On a Roman line between Sec. 10 & 15. T. N^o 11 N.
R. N^o 1 W.

40.00 Set a temporary post for the cor. to 14 sec. from which a

79.43 Into set a the N.S. line 56 miles N. of the post set
for the cor. to sec. 10. 11. 14. & 15. Timew Walnut Hock-
berry sugar, & Buck. W.M. Spiv, Pawpaw, &c.

West On the true line between Sec. 10. & 15. T. N^o 11 N.
R. N^o 1 W.

17.81 To a Buckeye 16 in. dia. stands on the line.

39.71 Set the temporary post at the corner. dist on the true line
for the cor. to 16 sec. from which an

Ash 10 in. dia. bears N54 E. 7 miles dist; & a

Maple 8 in. n. n. ~ S77 W. 18 in. ~

54.43 To a Butternut 17 in. dia. stands on the line.

S. N. 11. A.R. N. 1 W. 2nd Mer. Ind.

79.43 To the post lot for the cor. to sec. 9. 10. 15. 16.

- North Between Sec. 9 & 10 S. N. 11. A.R. N. 1 W.
- 44.00 Cross a Meadow, 1/4 mile. Height 1400 ft.
22.00 To a Blackberry 18 in. dia. Stands on the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 26 in. dia. bears N 53 W. 28 miles west; to
Locust 18 in. — N 72 E 21 — —
55.28 To a Buck 18 in. dia. Stands on the line.
80.00 Set a post for the cor. to sec. 3. 4. 9. 10. From which
a Buck 21 in. dia. bears N 31 E 50 miles west; to
No. 24 in. — S 34 W. 8 in. —
Sand 1st p. soil level 1st rate; 2nd p. level 2nd
rate; Sand " Elm, Walnut, Blackberry, Buck,
Sugar, Locust, &c. W. J. Spec. &c.

East On a Random line between Sec. 3 & 11. S. N. 11 A.R.
N. 1 W.

- 40.00 Set a timber post for the cor. to 1/4 sec.
79.48 Intersecting the N & S line of 1 mile N. of the post set
for the cor. to sec. 3, 4. 10. 11. Sand level 2nd
P. rate: Elm, Walnut, Poplar, Ash, & Buck, Elm,
&c. Undergrowth Spec. &c.

West On the true line between Sec. 3 & 11. S. N. 11 A.R. N.
1 W.

- 15.92 To a Buck 16 in. dia. Stands on the line.
39.74 Set a post for the cor. 3/4 sec. from which a
Buck 8 in. dia. bears N 35 E 20 miles west; to
Keratum 5 in. — S 33 W. 14 in. —
57.74 To a Buck 28 in. dia. Stands on the line.
79.48 To the post lot for the cor. to sec. 3. 4. 9. 10.

North Between Sec. 3 & 4 S. N. 11 A.R. N. 1 W.

- 17.44 To a Buck 16 in. dia. Stands on the line.
40.00 Set a post for the cor. to 1/4 sec. from which a

J. No. 11. N.R. No. 177. 2nd Run (Ind.)

- Knickly 17 mi. dia. bears S 54 E. 15 miles west; & a
Sycamore 70 in. dia. N 23 W. 12 in. in
56.57 To a Buck 14 in. dia. stands in the line.
73.70 Intersects the N. & S. boundary of J. No. 11. N.R. N. 1
W. 12 miles W. of the first set for the cor. to rev
33. 534 ft. N. 11 N.R. N. 177. made set a post
for the cor. to rev. 3 & 4 from which a
Buck 18 in. dia. bears S 62 E. 30 miles west; & a
Ho. 28 in. dia. - N 61 W. 21 in. in
part new wood & rotten; 2nd do. 2nd broken
2nd do. rotten; timber Walnut, Buck, Ash, C. & Co. Hickly
N.Y. Spine &c. Nov. 6th 1819.

North Between Rev. 32, & 33. J. No. 11. N.R. N. 177.

- 21.28 To a Sassafras 12 in. dia. stands in the line.
40.00 Set a post for the cor. to rev. 34 sec. from which a
W. Oak 16 in. dia. bears S 63 E. 16 miles west; & a
73. Knickly 3 in. dia. N 88 E. 6 in. in
66.32 To a W. Oak, 36 in. dia. stands in the line.
80.00 Set a post for the cor. to rev. 28, 29, 31, & 33. From
which a Buck 22 in. dia. bears N 9 W. 19 miles west;
and an Ash 16 in. dia. S 27 E. 14 in. in
part broken and 3rd do. rotten; Timber W. Oak, 73 Oak,
Knickly Sp. Oak, &c. N.Y. Sassafras Pine &c

No. 1 East On a Random line between Rev. 38 & 33. J. No. 11. N.
R. N. 177.

- 15.80 To a Brook 12 miles west; bears N.N.W.
18.00 in. dia. Ho. 12 in. in. G.W.
20.25 Ho. 12 in. in. in. in. in. N.W.
40.00 Set a timber post for the cor. to rev. 34 sec.
78.56 Intersects the N. & S. line 66 miles S. of the first
Set for the cor. to rev. 27, 28, 33. 134 stands part
wood & part Broken 2nd & 3rd do. rotten; timber
W. Oak, 73 Oak. Knickly Buck &c. N.Y. Elm P
Juniper, Dogwood & Maple Pine &c.

J. N. 11 A.M. N. 1 M. 9th Mar. (Ind.)

- N.^o 3. North On the tree line between Lat. 28.12.9 & N. 11 N.R.
N.^o 177.
- 24.90 To a Blackberry 16 in. dia. Stands on the line.
- 33.40 " " Brook 15 miles north; between N. N.W.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sp. Oak 48 in. dia. Stands N 29 E 10 miles south of
Sugar 18 " " " N 64 W 14 " "
- 64.92 To a Cherry 12 in. dia. Stands on the line.
- 85.00 Set a post for the cor. to Sec. 20. 21. 28. & 29. From
which a Beach 36 in. dia. Stands all 28 N. 10 miles west;
and a Cherry 4 " " " S 43 E 22 " "
Sand hills 2nd rate; Timber N. Oak, Beach,
Cherry, Walnut & N.Y. Spices, &c.

N.^o 4. East Between Lat. 21 & 28 On a Mountain line J. N. 11
N.R. N.^o 177.

- 40.00 Set a tempt. post for the cor. to 1/4 sec.
- 75.00 Enter a Maple Swamp
- 78.25 Intersect the N. 18 line 20 miles N. of the post set
for the cor. to Sec. 21. 22. 27. & 28. Sand hills
2nd & 3rd rate; Timber Walnut, Sugar, Blackberry
Elm, Ash, &c. N.Y. Spices, Papaw, P. Ash &c.

N.^o 2 West On the tree line between Sec. 28. & 33. J. N. 11 N.R.
N.^o 177.

- 20.53 To a Beach 14 in. dia. Stands in the line.
- 39.28 Set a post for the cor. to 1/4 sec. from which a
Beach 16 in. dia. tree S 70 W. 14 miles west; to
do 12 " " " N 37. 30 " "
- 61.38 To a small B. Black 14 in. dia. Stands in the line.
- 78.56 To the first lot for the cor. 28, 29. 32, 33.

West On the tree line between Sec. 21 & 28. J. N. 11 N.R.
N.^o 177.

- 23.12 To an Elm 12 in. dia. Stands in the line.
- 39.13 Set the tempt. post at the cor. dish in the tree line

J. N. 11. A.H. N. 17th. 2ndo Mar. Ind.

- for the cor. to 1/4 mi. from which a
Maple 14 in. dia. bears S33 W. 11 miles dist; & a
Buckeye 6 in. " " N84 E. 20 " "
58.12 To a Buckeye 16 in. dia. stands in the line.
78.27 To the first set for the cor. to sw. 21. 20, 29. & 28
-

- North Between Sat. 21. & 21. J. N. 11 A.H. N. 17th.
24.12 Set a post on a Knob 10 mi. dia. stands in the line.
30.46 Set apart on the Left Bank of White River for
the cor. to Grace Sat. 21 & 21. from which a
Hornbeam 6 in. dia. bears S20 W. 6 miles dist; & a
Knob, 12 " " N44 E. 11 " "
36.01 Cut the Point of an Island.
45.00 Set a post for the cor. to 1/4 mi. on the same R.R.
of White River from which a
Cottonwood 4 in. dia. stands N51 W. 12 miles dist
& a 10 " 3 " " S30 E. 14 " "
64.70 Set apart on the same Bank of W. River for the
cor. to Grace Sat. 21 & 21. from which a
Maple 8 in. dia. bears S10 W. 8 miles dist; & a
10 " 14 " " N83 E. 20 " "
69.75 Set apart on the R.R. Bank of W. River for the
cor. to Grace Sat. 21 & 21. from which a
Redbud 10 in. dia. bears N79 E. 10 miles dist; &
ash 10 " " " S60 W. 14 " "
73.07 To a Brook 15 miles west; compass S.E.
80.00 Set apart off the cor. to Sat. 16, 17, 21. & 21. from
which a Mulberry 16 in. dia. bears N26 W. 34 miles
dist; & a 10 " 18 " " S70 E. 37 " "
" Land level point N.E. & point 2 miles west;
Hickory, Walnut, Blackberry, Buckeye. Sycamore
Elm &c. Mt. Sheep Pawpaw & P. Ash, Venus &c.
-

East On a Random line between Sat. 16. & 21. J. N. 11 A.H.
N. N. 17th.

- 44.00 Set a temporary post for the cor. to 1/4 mi.

J. N° 11 N. 11. N° 17. 2nd Mar. (Ind.)

- 46.55 To the R. t. Bank of W. River
 72.52 " " " by Offset
 78.60 Intersect the N. & S line 14 miles N of the post
 set for the cor. to sec. 15. 16. 21. & 22. Stands but
 sp. rate; Indian Walnut, Buckeye, Locust, Sycamore,
 Hackberry etc. W. Elm, Hickory, Ash,
 Pine etc. Nov. 8th 1819.

West On the true line Between Dec. 16. & 21. J. N° 11 N.
 R. N° 17.

- 6.06 Set apart on the R. t. Bank of White River for
 the cor. to fract. Dec. 16. & 21. From which a
 Blue Ash 10 in. dia. base \$83 N. 6 miles east; to
 Elm 5 " " " 152 N. 10 " "
 32.25 Set apart on the R. t. Bank of W. River by
 Offset on the true line for the cor. to fract. Sec.
 16. & 21. from which a
 Hornbeam 14 in. dia. base \$44 N. 8 miles east; to
 W. Horn 3 " " " 162 N. 12 " "
 39.30 Set the temporary post at the cor. dist; in the true line
 for the cor. to 1/4 sec. from which a
 W. Horn 8 in. dia. base 180 E. 14 miles east; to
 Buckeye 10 " " " 637 N. 54 " "
 66.27 To a Blue Ash 16 in. dia. Stands in the line.
 78.60 To the post set for the cor. to sec. 16. 17. 21. & 22.

North Between Dec. 16. & 17. J. N° 11 N. 11. N° 17. N° 17.

- 7.50 To a Brook 15 miles west, corner S. S. W.
 32.16 " " " Beck 18 in. dia. Stands in the line.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Hornbeam 11 in. dia base 127 N. 4 miles east; to
 Sugar 14 " " " 183 E. 25 " "
 51.50 To a Beck 20 in. dia. Stands in the line.
 80.00 Set apart for the cor. to sec. 8. 9. 16. 17. from which
 a Sugar 16 in. dia base 126 E. 7 miles east; to
 Butter nut 5 " " " 127 N. 22 " "

T. N° 11 R. 11. N° 177. 2nd Mer. (S. a.)

Sands level P.M. rate; Tintle Walnut, Sugar
Buck, Ash, Maple, &c. W. G. Spie and Paopaw

East On a Random line between Sec. 9 & 16. T. N° 11
R. N° 177.

- 40.00 Set a trap set for the cor. to 1/4 sec.
67.40 To a Brook 15 miles west; Com. S. S. E.
78.54 Intersected the E Boundary 26 miles N of the
trap set for the cor. to sec. 9, 10, 15 & 16. Sands
level P.M. rate; Tintle Sugar, Walnut, Buck, &
c. W. G. Spie, White, & Maple. Prickly Ash,

West On the tree line between Sec. 9 & 16 T. N° 11 R. N°
177.

- 20.76 To a Brook 18 in. dia. Stands in the snow.
39.27 Set the trap set at the cor. ditch on the tree
line for the cor. to 1/4 sec. from which a
Hornbeam 5 in dia. bears N 44 E. 6 miles west; to
L. 3 " " " \$28 E. 19 " "
49.84 To a Buckeye 12 in dia. Stands in the snow.
78.54 To the first set for the cor. to sec. 8, 9, 16, 17.

North Between Sec. 8 & 9 T. N° 11 R. N° 177.

- 30.15 To a Brook 14 in. dia. Stands in the snow.
40.00 Set a trap for the cor. to 1/4 sec. from which a
Buck 20 in. dia. Stands in N 76 W. 18 miles west; to
L. 14 " " " \$23 E. 9 " "
55.11 To a Butter nut 16 in dia. Stands in the snow.
79.00 " - Brook 12 miles west; Com. S. S. E.
80.00 Set a trap for the cor. in sec. 4, 5, 8, 9. From which
B. Elder 13 in. dia. bears \$34 E. 15 miles west; to
Elm 5 " " " N 66 W. 28 " "
Sands level 2nd M. rate; Tintle, Buck, Ash, Elder
Sugar tree; W. G. Spie, Ash &c.

East On a Random line between Sec. 4 & 9. T. N° 11 R.

J. N. 11 A.M. No. 177. 2nd M. And 19

- 2.20 To a Brook 15 miles east; course E. N.E.
 8.00 " " do 15 " " South
 40.00 Set a trumpet post for the cor. to 1/4 mi.
 58.05 To a Spring branch course S.
 78.30 Intersected the N & S line 44 miles N. of the first
 set for the cor. to Sec. 3. 4. 9. 10. Sand hill
 2nd rate; Timber Oak, W. Oak, Hovey's
 Maple; M. G. Spruce &c

West On the tree line between Sec. 4 & 9 J. N. 11 N.
 R. No 177

- 17.69 To a Bush 14 in. dia stands on the line
 39.15 Set the trumpet post at the over west on the tree
 line for the cor. to 1/4 mi. from which a
 Bush 12 in. dia line N 44 W. 5 miles dist; to
 Do 20 " " S 18 W. 26 " "
 59.80 To a Bush 20 in. dia line on the line.
 78.30 To the post set for the cor. to Sec. 4. 5. 8. 9.

North J. N. 11 A.M. No. 177. N. 177.

- 17.34 To a Bush 18 in. dia stands on the line.
 40.00 Set a post for the cor. to 1/4 mi. from which a
 Bush 20 in. dia. course N 23 E. 19 miles dist; to
 Do 24 " " N 87 E. 16 " "
 51.20 To a Spring branch. course S. W.
 55.15 To a spruce 28 in. dia stands on the line.
 72.17 Intersected the N. Boundary of J. N. 11 A.M.
 No 177. 28 miles East of the first set for the
 cor. sec. 32. 133. J. N. 12 A.M. N. 177. 1/200
 apart for the cor. to Sec. 4 & 5 from which a
 Bush 12 in. dia. stands S 28 W. 11 miles dist; to
 Do 18 " " N 78 E. 27 " "
 Sand hill 2nd rate; Post broken 3rd rate
 Timber W. Oak, T. Bush, Poplar, Ash, &c M.G.
 Spruce, Hazel, Dogwood, Birch &c.
 Nov. 10th 1819.

T N° 11. A.R. N° 1 W. 2nd Mer. (Sec. 9)

- North Between Sec. 31 & 32 T N° 11. A.R. N° 1 W
 19.87 To a Sugar 21 m. dia. Stands in the line.
 40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Poplar 14 m. dia. bears S 35° W. 10 miles dist; to
 Knick. 3 " " " N 52° E. 6 " "
 60.77 To a Poplar 14 m. dia. Stands in the line.
 80.00 Set apart for the cor. to Sec. 29, 30, 31 & 32
 from which a Buck 5 m. dia. bears N 49° E. 10 miles
 dist; & a Dogwood 5 " " " S 85° W. 15 m.
 in Sands broken & Gravel; Timber. W. Oak, T. Oak &
 Oak, H. Buck, Knick. 3 and Poplar; W. 9
 Spis, Dogwood, 2 Birch &c.

- East On a Random line between Sec. 29 & 32 T N° 11
 A.R. N° 1 W.
 40.00 Set a trap, 1 post for the cor. to $\frac{1}{4}$ sec.
 80.20 Into Section the N. & S line 84 yards N. of the
 post set for the cor. to Sec. 28, 29, 32 & 33. Sands
 Broken gravel; Timber W. Oak, T. Oak &
 Knick. W. 9 Dogwood, Innwood, 1 Hick. N.
 Spis &c.

- West On the true line between Sec. 29 & 32, T N° 11 A.R.
 N° 1 W.
 21.00 To a T. B. Oak 20 m. dia. Stands in the line.
 40.10 Set the trap, 1 post at the ave. dist; on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 4 m. dia. bears N 73° E. 8 miles dist; to
 Sugar 16 " " " S 22° E. 24 " "
 50.26 To a Sugar 14 m. dia. Stands in the line.
 81.21 To the post set for the cor. to Sec. 29, 30, 31 & 32

- West Between Sec. 31 & 32 T N° 11 A.R. N° 1 W.
 26.63 To a T. B. Oak 14 m. dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwood 5 m. dia. bears S 41° W. 20 miles dist; to

T.M. 11 N.R. N. 177. 2nd Mer. (And.)

- 77 Oak 26 mi. dia base 167 E. 16 miles west; to
55.80 To a Beech 16 mi dia. stands in the river.
67.47 Intersect the N. Branch of T.M. 11 N.R.
N. 177. 111 miles N. of the Post lot for the
cor. to sec. 25. 136. T.M. 11 N.R. N. 2 W.P.
lot apart from the cor. to sec. 31. 131. T.M. 11 N.
R. N. 177. From which a
Logwood 6 mi dia. base 161 17. 16 miles west; to
110. 4. " " N. 21 E. 20. ~
Lands broken and 3rd rate; Timber W. V.B.
Oak, Hickory under Beech &c. M. 9 Logwood,
Ash, Elmwood, Birch &c.

- North Between Sec. 29 & 30. T.M. 11 N.R. N. 177.
20.10 To a Poplar 40 mi. dia. stands in the river.
41.00 Lot apart from the cor. to sec. 14. From which
a Sycamore 16 mi dia. base 155. 9 N. 6 miles west to
Beech 20. " " N. 72 E. 19. ~
59.62 To a Spring Branch. corner N.W.
60.74 " " N. Oak 21 mi. dia. stands in the river.
74.00 " " Brook 15 miles west; corner N.W.
81.00 Lot apart from the cor. to sec. 19. 20. 29. & 30. from
which a Box Elder 12 mi. dia base 132 E. 10 miles
west to Walnut 13 " " " 183 N. 37. ~
~ Lands front land & part broken P. 12th
rate; Timber N. Oak, Beech, Poplar, Ash &
Hickory, Walnut, Buckeye &c. M. 9 Spice, Dog-
wood Ash and trees.

- East On all random line between Sec. 20 & 29. T.M. 11
N.R. N. 177.
40.01 Lot a transcript part from the cor. to sec. 14. ~
79.98 Intersect the N.P.S line 7/4 miles N. of the
Post lot for the cor. to sec. 20. 21. 28. & 29.
Lands level 3rd rate; Timber Beech, Walnut
Ash, and Sycamore, M. 9 Spice & Pawpaw.

J. N. 11 A.R. N. 177. 2nd Mar (Ind.)

- ~~x~~ West Cut the tree line between S. 24. 129 J. N. 11 A.R.
N. 177.
- 18.88 To an Elm 24 in. dia. stands in the line
Set the trumpet post at the ave. dist; on the tree
line for the cor. to 1/4 in. from which on.
Ash 4 in. dia. bears \$11 E. 20 miles dist; to
Buck 17 in. " " N 27 W. 28 " "
- 57.40 To a Blackberry 21 in. dia. stands in the line
- 79.98 To the first post for the cor. to S. 19. 24. 29. & 30

- West Between S. 19. 130. J. N. 11 A.R. N. 177.
6.50 To a Brook 20 miles west course N.W.
21.00 To a Buckeye 18 in. dia. stands in the line.
40.00 Set a post for the cor. to 1/4 in. from which a
Red Cedar 6 in. dia. bears \$20 E. 27 miles dist;
Buckeye 14 " " N 29 W. 54 " "
44.00 Set a post on the Left. Bank of N. River. onto
S. 19. 130 from which a
Sugar 24 in. dia. bears \$57 E. 8 miles dist; to
Ash 12 " " N 34 E. 14 " "
48.35 Set a post on the R.H. Bank of N. River for the
cor. to fra. S. 19 & 30 from which a
Maple 10 in. dia. bears N 18 W. 16 miles dist; to
Lg. 4 " " \$18 E. 18 " "
60.20 To an Elm 22 in. dia. stands in the line
66.68 Intersects the N. Boundary of J. N. 11 A.R. N. 1
W. 14.3 miles N of the first post for the cor. to S. 24. 125. J. N. 11 A.R. N. 177. and set a
post for the cor. to S. 19. 24. 30 from which an
Elm 12 in. dia. bears \$42 E. 23 miles dist; to
Blackberry 8 " " N 31 E. 31 " "
Grows here. Sweet Pepper & Sweet Potato lands;
Timber Walnut, Blackberry, Locust, Buckeye
Sycamore Elm, Ash, Sugar, &c.
M. G. Shie Elder, Jr. Nov. 11 1819.

I. N° II. N.R. N° IV. 2nd Mar. (Ind.)

- North Petroan Sub. 19 & 21. I. N° II. N.R. N° IV.
- 19.27 Set a post on the S.E. Bank of N. River
on the cor. to frac. Sub. 19 & 20. from which a
Huckleberry 22 in. dia. base S25 E. 28 miles dist;
and an Elder 18" " " S52 W 27 " "
- 23.70 Set a post on the N.E. Banks of N. River on
the cor. to the cor. to frac. Sub. 19 & 20. from which a
Willow 14 in. dia. base N. 71 E. 5 miles dist; two
Maple 14" " " S48 W 28 " "
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Cottonwood 14 in. dia. base N 27 E. 14 miles dist; to
Locust 3" " " N 15 W 18 " "
- 41.00 To a pond 130 miles mid; leaves N.W 15 E.
- 62.08 " " Buckeye 16 in. dia. Stands in the mud.
- 67.50 I. a Brook or Bayou 30 miles mid; leaves
S. S.W.
- 81.00 Set a post for the cor. to Sub. 17 & 18. 19. 20. from
which a Huckleberry 8 in. dia. Stands N 73 E. 14
miles dist; & a Oak 24" " " S64 W. 22
" " Stands back part 1st Part 2nd rate;
Timber Walnut, Huckleberry, Buckeye, Buck,
Sycamore, Cottonwood &c. M. 9 Spec to.

East On a random line between Sub. 17 & 20. I. N.
II. N.R. N° IV.

- 40.00 Set a temp. post for the cor. to 1/4 sec.
- 47.50 To a stream or Bayou. 30 miles mid; leaves
W. S. W.
- 56.50 Left side stream
- 77.50 To a Brook 20 miles mid; leaves S. S.W.
- 81.10 Set a post at the East Branch of 7 miles N of the
post set for the cor. to Sub. 16. 17. 21 & 21.
Same 1st rate; Timber Walnut, Huckleberry, Buckey
ash, Oak, Sycamore, &c. M. 9 Spec to

West On the true line between Sub. 17 & 20. I. N° II. N.

J. N° 11 N.H. No 197. 2nd Mar. 1900.

R. N° 177

- 15.66 To a B. Ash, 14 in dia. stands on the river.
 40.00 Set the trumpet post at the cor. side; on the tree line for the cor. to 1st sec. from which a
 Butternut 24 in. dia. tree S44 E. 2.5 miles west; to
 W. Oak 27" " N. 43 E. 22" "
 57.87 To a Hickory 24 in. dia. stands on the river
 80.10 To the post set for the cor. to Sec. 17, 18, 19, 20.
-

- West Between Sec. 18 & 19 J. N° 11 N.H. N° 177
 23.18 To an Ash 18 in. dia. stands on the river.
 40.00 Set a post for the cor. to 1st sec. from which a
 Walnut 10 in. dia. tree N56 W. 14 miles west; to
 Hornbeam 6" " S56 E. 6" "
 53.00 To an Ash 11 in. dia. stands on the river.
 68.00 Enter to the N. Boundary 273 miles S. of the
 post set for the cor. to Sec. 13 & 24 J. N° 11 N.H.
 N° 2 W. and set a post for the cor. to Sec. 18 & 19
 J. N° 11 N.H. N° 177 from which an
 Ash 13 in. dia. tree S65 E. 16 miles west; to
 Maple 6" " N55 E. 46" "
 Sand rock 1st and 2nd rate; Timber Walnut,
 Buckeye, Hawkbush, Beech, Hickory & N. G. Pine
-

- North Between Sec. 17 & 18. J. N° 11 N.H. N° 177
 23.18 To an Ash 18 in. dia. stands on the river.
 40.00 Set a post for the cor. to 1st sec. from which a
 Stand Gum 14 in. dia. tree N34 W. 11 miles west to
 B. Ash 21" " S34 E. 8" "
 58.70 To a Beech 18 in. dia. stands on the river.
 70.00 Enter a Woodfall.
 80.00 Set a post for the cor. to Sec. 7, 8, 17 & 18 in. Wood-
 fall from which an
 Elm Bass 1 in. dia. tree N80 W. 4 miles west to
 Ash " 1st" " S39 E. 6" "
 Sand rock 2nd rate; Timber Elm, B. Ash, Maple

J. No 11 N.H. No 177. 2nd Mus. (Ind.)

Buck Stand Game to M.J. Spiv. T. Brinsford

East Between Jul. 8 & 17 On a Meadow line. J. No.
30.00 Left the midfall
40.00 Set a tempy post for the cor. to 7/4 sec.
80.06 Into section the East Boundary of the 43 miles
N. of the post set for the cor to sec. 8. 9. 16 & 17
Sandeburl per rate; Trinity Sugar Walnut Hick
my. Buck Stand do. M.J. Spiv. T. Brinsford.

West On the true line between Jul. 8 & 17. J. No 11 N.
R. No 177. Nov. 13. 1819.

24.13 To a Buck 20 in dia. Stands in the line.
40.03 Set the tempy post at the cor. dist. on the true
line for the cor to 7/4 sec. from which a
Burrbeam 5 in. dia. bears S 59 W. 10 miles dist; to
Buck 20. " " N 57 E. 14 " .
47.21 To a Butternut. 14 in. dia. Stands in the line.
80.06 To the post set for the cor. to 7. 8. 17 & 18.

West Between Jul. 7 & 18 J. No 11 N.H. No 177.

26.12 To a Buck 14 in. dia. Stands in the line.

33.50 Left the midfall

40.00 Set apart for the cor. to 7/4 sec from which a
Buck 24 in. dia. bears N 31 E. 18 miles dist; to
Hick 24 " " N 72 E. 10 " .

58.00 To a Buck 18 in. dia. Stands in the line.

68.10 Into section the N. Boundary 31.5 miles N. of the
post set for the cor. to sec. 12 & 13. J. No 11 N.
R. No 177. Can do set a post for the cor to
sec 7 & 18 from which a
Buck 24 in. dia. bears N 31 E. 15 miles dist to

100 14 " " S 62 E. 25 " .

Sandebur 2nd rate; Trinity Buck, Sugar,
W. Oak, Ash, to M.J. Spiv. T. Brinsford Ash &
Cherry &c.

367

II N° II N.P. N° 17N. 2ndas Mar. Ind.

- North Between Cal. 5 & 8 I N° II N.P. N° 17N.
- 18.51 Left Wainfall
- 28.85 To a W. Oak 30 in dia. Stands in the line
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 18 in. dia bears N 34 E. 6 miles west; to
Do 16" " " N 58 N. 50" "
- 63.84 To a Maple 20 in. dia Stands in the line
- 80.00 Set a post for the cor. to sec. 5. 6. 7. 8. from which
an Elm 4 in. dia bears S 44 W. 2 miles west to
Kornblau 5" " " N 42 E. 17" "
Inadequately Pd & Q'd to rate; Smaller Sycamore,
W. Oak, & Walnut, Elm, Locust from 60
M. 9 Spire &c

East On a Random line between Cal. 5 & 8 I N° II N.
R. N° 17N.

- 40.00 Set a trumpet post for the cor. to 1/4 sec.
- 73.50 To a Brook 15 miles wide; bears S. E.
- 77.00 " " Do 11" " " " N. E.
- 79.50 " " " " " " E. S. E.
- 80.16 Intersected the N. 13 line 38 miles N of the
post set for the cor. to Cal. 4, 5, 8, 9. Part
wood; & found Broken 2nd & 3rd nat. trees.
Limb W. Oak, Hickory, Ash, Elm, Birch, Oak
B. Basswood, M. Y. Spire, Hickory, Maple, Oak,
Hog wood, Birches &c.

West On the true line between Cal. 5 & 8 I N° II N.
R. N° 17N.

- 19.81 To a W. Oak 16 in. dia. Stands in the line.
- 40.08 Set the trumpet post at the aver. dist. on the true
line for the cor. to 1/4 sec. from which a
B. Oak 14 in. dia bears N 36 W. 11 miles west; to
W. Oak 14 " " " S 52 E. 20 " "
- 62.06 To a Birch 16 in. dia. Stands in the line.
- 80.16 To the post set for the cor. to Cal. 5. 6. 7. 8.

J. N° 11 M.M. N° 177. Grand Mar. Jan.

- West Between Lst. 6 & 7 J. N° 11 M.R. N° 177.
 26.60 To a W. Oak 18 in dia Stands in the line
 40.00 Set a post for the cor. to 14 m. from which a
 Hickory 20 in dia. bears S 51 W. 5 miles west
 to P. Oak 3 " " A 43 E 11 " "
 57.74 To a Hickory 24 in dia. Stands in the line.
 68.20 Intersect the N. Branch 425 miles North
 West set for the cor. to sec. 1412 J. N° 11 M.
 R. N° 277. and set a post for the cor. to sec.
 607. J. N° 11 M.R. N° 177. from which a
 Buck 16 in dia bears S 68 E. 35 miles west; to
 Hornbeam 11 " " A 65 E. 20 " "
 Sandstone 2 in. red; Tinkw. Hickory, Buck,
 Gum, W. Oak, Elm, Ash &c. M.G. Spins to

- North Between Lst. 5 & 6. J. N° 11 M.R. N° 177.
 23.62 To a small Buck Hickory 24 in dia Stands in
 the line
 40.00 Set a post for the cor. to 14 m. from which a
 Sugar 18 in. dia bears A 42 W 4 miles west; to
 Hickory 3 " " A 79 E. 15 " "
 61.54 To a Poplar 18 in dia Stands in the line.
 71.74 Intersect the N. Branch of J. N° 11 M.R. N.
 N° 177. 2nd Mar. 16 mukle. Post of the Post
 set for the cor. to sec. 34132. J. N° 12 M.R.
 N° 177. 2nd Mar. and set a post for the cor.
 to sec. 516. from which a
 Poplar 18 in. dia bears A 43 W. 11 miles west
 Buck 18 " " A 68 E. 18 " "
 Sandstone 2 in. red; Tinkw. Hickory, Poplar
 to M.G. Spins Passap. & Brinsford Mar. 13.
 1819.

* Meanders of the R.R. Bank of White River.

J. N° 11 M.R. N° 177. Date Mar. (Ind.)

Beginning on the line between C. 11 & 12 N.
R. N° 1 E. there

S1077	21.00	
S3577	6.00	Intersects the 2nd Mer. line between Towns N. M.R. 18 & 17 N. Sec. 116 For the middle of River; look from east to see notes on Standard line: There S14477 4.50 in Sec. 1 J. N° 11 M.R. 1 N.
S3177	4.00	
S2677	6.00	
S1477	8.50	To a Brook 30 miles west, from N.W.
S48	14.50	
S377	10.00	
S2277	11.25	Intersects the line between Col. 1 & 2. 64.35 E. of con. North of River 5.67 on the line.
S1877	3.00	
S377	8.00	
S88	3.00	
S258	2.00	
S98	5.50	
S1377	4.00	
S2777	6.00	
S3277	6.50	
S6777	5.00	
N7377	6.00	
N6877	2.50	
N8777	4.00	
S5977	6.50	
S3877	4.00	
S2377	3.00	
S18	3.00	
S278	4.00	
S358	4.50	Upper end of Sluado 6.80 Ws wide
S2777	6.00	
S8877	5.00	

370

J. N° 11 A.R. N° 17. 2nd Mar. (In a.)

S68W 3.50

S49W 3.00

S23W 4.50

S4 E. 3.62 Intersected the line between Sec. 12 & 13
 22.17 E of the post River
 and Island, 32.27 miles on the line.

S10E 4.00

S29E 8.00

South 6.00 Some end of Island 5.72 miles.

S48W 5.00

S71W 9.00

S66W 6.00

S59W 6.00

S57W 6.58 Intersected the line between Sec. 13 & 14
 31.73 S of sec. cor.
 River 4.57 miles on the line.

S60W 10.00 ✓

✓ S56W 8.00 ✓

✓ S59W 7.00 ✓

✓ S62W 8.00 ✓

✓ S54W 1.00 ✓

✓ S42W 5.50 ✓

✓ S35W 5.50 ✓

✓ S24W 3.50 ✓

✓ S57W 8.50 ✓

S27E 6.50 ✓

S43E 4.25 ✓ To the river on line between Sec. 14 & 23

$80.34 - 29.85 = 50.49$ }
 see page 349 } \circlearrowleft 50.49 ✓ 37th E off sec. cor.

River 5.79 miles on the line.

Nov. 15. 1819

S45E 11.00 ✓

S56E 5.00 ✓

S48E 9.50 ✓

S60E 5.00 ✓

S24E 3.50 ✓

S7W 4.50 ✓

J N 11 M.R. N° 171. 2ndd Mer. Ind.

S37W 3.00 ✓

S75W 5.50 ✓

N61W 7.00 ✓

N30W 3.50 ✓

N19W 5.00 ✓

N45W 6.00 ✓

N43W 14.00 ✓

N37W 6.00 ✓

N27W 4.96 ✓

To post on the line between sec. 14 & 23.

^{40.17}
32.96 East of sec. cor.

To top. 40.17, hole line = 80.34
2.27 wide. 32.96 E.
47.44 - - - - - 47.44

River ~~6.65~~ 5 miles on the river.

✓ N28W 5.37 ✓

✓ N55W 4.00 ✓

✓ N62W 3.50 ✓

✓ N78W 7.50 ✓

✓ S71W 6.50 ✓

✓ S27W 6.50 ✓

S9W 1.60. ✓ To the post on the line between sec. 14 & 23.

13.32 E. of sec. cor.

River 5.93 miles on the river.

✓ S9W 6.50 ✓

✓ S10E 7.00 ✓

✓ S28W 3.00 ✓

✓ S87W 7.10 ✓

The line between sec. 22, 23.

14.53 S. of sec. cor.

River 4.37 miles on the river

N68W 6.50

N56W 7.00

N74W 6.50

N84W 8.00

S80W 6.00

S73W 5.00

S53W 4.00

S48W 5.50

S54W 6.00

S88W 5.50

T.N. II. A.R. No 17. 2nd Mer. (Ind.)

N84W 19.50

N37W 4.50

N31W 5.20 To the Post on line between R.R. 21. & 22.

12.445 S. of sec. cor.

Riv 10.20 miles on the line.

N.11W 11.00

N45W 2.00

N60W 2.00

Intersected the line between R.R. 16 & 21.
Leave a bend by Offset.

N44W 3.50

N64W 6.00

S86W 8.50

S69W 5.00

S58W 4.00

S44W 2.30

Intersect the line between R.R. 16 & 21.
146.35 E of sec. cor.

N44W 5.00

S19W 5.00

S11W 7.50

S9E 15.00

S37W 6.50

S67W 8.50

N72W 5.00

N45W 9.50

N7W 13.00

N30W 4.50

N57W 7.50

N88W 7.75 To a stream 15 miles north from N.W.

S72W 3.00 To the Post on line between R.R. 20 & 21

11.25 S of sec. cor.

Riv 5.05 m the line.

S84W 2.50

S61W 9.00

S36W 9.00

S19W 5.00 Upper end of Island.

S27W 8.00

T. N. 11 S. R. N. 1 W. 2nd. Mer. Ind.

S18 7.50

S53 W. 4.50

S76 W. 5.50

S58 W. 9.00 Lower end of stream.

S84 W. 12.00

S79 W. 9.50

S87 W. 14.00

S53 W. 7.80. ^{Settled} Between Rev. 19.0211 T. N. 11.

5th. 31 S. of the Post.

River 4.43 miles on the line.

N87 W. 8.50

N62 W. 3.50

N47 W. 5.00

N88 W. 3.50

N59 W. 3.00

N11 W. 14.00

N12 E. - 5.50

N24 E. 6.00

N6 E. 4.50

N25 W. 8.00

N66 W. 6.00 To a Stream or Bayou 50 miles more.

S77 W. 4.50

S60 W. 4.50

S33 W. 7.50

S9 W. 10.00

S4 E. 5.50

S24 W. 7.00

S52 W. 8.00

S31 W. 9.00

S10 E. 5.00

S27 E. 4.50

S43 E. 3.00

S37 E. 4.60 ^{Settled} Between Rev. 19.0311

1823 E. offee. cor.

River 4.35 miles on line

S25 W. 4.00

374

J. No. 11 A.R. No 177. 2nd Nov.

S53W 5.00

N88W 8.00

N58W 5.50

Take set the Range line.

For the distance from cor. mark of
River &c. See Notes on the Standard
Lines

Standards of the Left Bank of White River
Beginning with line between Rang. 189W
& between Sec. 25. & 30. For the mark of the
River distance from cor. See Notes on the Standard
Line

S62E 3.00

S89E 10.00

N65E 8.50

N29E. 4.50

N5E. 4.00

Take line with line between Sec. 190, 30
44.00 Net cor.

N13W 5.00

N11W 9.50

N17E. 5.00

N41E. 8.00

N26E. 5.00

N14E. 4.00

N4E. 12.00

N18E 4.50

N49E 3.50

East 3.00

S58E 3.00

S19E. 4.00

S20W 4.50

S.25W 7.00

S3E. 4.50

S.12E 7.50

S20E. 4.50

S11E. 5.00

J. No 11 S. T. P. No 177. 2nddo Mus (See 1st)

375

144 E. 5.00

175 E. 5.00

180 E. 3.50

163 E. 3.50 To a stone 20. mto side, from R.E.

163 E. 1.00

145 E. 6.50

188 E. 6.44 Intersection line between Ref 19 & 20.

x 19.27 North of the cor.

173 E. 4.50

185 E. 6.50

188 E. 21.00

179 E. 15.50

188 E. 4.00

179 E. 6.00

182 E. 7.50

175 E. 11.00

159 E. 5.00

135 E. 1.60 To the line between Ref 20 & 21.

30.46 N of the cor.

N 42 E. 3.00

N 3 E. 9.00

N 32 N. 4.66

To the line between Ref 20 & 21.

40.00 N of the cor.

135 N. 4.00

147 N. 7.00

118 N. 5.50

127 E. 6.50

N 51 E. 8.00

To the line between Ref 20 & 21.

67.70 N of the cor.

187 E. 6.50

157 E. 5.00

130 E. 4.50

13 E. 5.00

South 5.00

531 E. 8.00

556 E. 5.00

T. N° 11. M.R. N° 177 3^{me} Mar. (Ind.)

S76E. 6.00
 N89E. 6.00
 N67E. 6.00
 N46E. 4.00
 N34E. 7.00
 N10E. 7.50
 N77W. 10.50
 N8E. 6.50
 N16E. 5.50
 N37E. 3.00
 N53E. 3.50
 S89E. 5.00
 S82E. 5.00
 S59E. 7.00
 S31E. 3.50
 S12E. 3.00
 S13E. 5.50
 S10E. 3.00
 S34E. 4.00
 S53E. 4.10

To the post between Sec. 21 & 22.

57.35 North of the cor. to Sec. 21, 22, 27, 32

S53E. 2.50
 S66E. 7.50
 S84E. 4.50
 S87E. 5.00
 N87E. 7.00
 N79E. 5.00
 N71E. 7.00

N57E. 4.50

To a Brook 15 miles west from S.E.

N57E. 12.50

N81E. 6.00

S70E. 5.00

S63E. 4.00

S57E. 6.00

S73E. 7.00

S74E. 3.89

To the post between Sec. 22, 23, 26 & 27!

377

T N° 11. M.R. M 1 W. 2nd Run (Ind.)

59.84 A. of the cor. to Lat. 22, 23, 26, & 27.

N87E. 10.50 ✓ To a mill seat High Bluffe.

N33E. 5.00 ✓

N10E. 3.50 ✓

N9W. 10.00 ✓

N18E. 3.88 To the post on the line between Sec. 14 & 23
19.25 E. of the post set for the cor. to Lat. 24, 14, 15,
~~22, 23, 24~~
~~23, 24, 25~~ Nov. 17 1819. Thruw.

N37E. 3.50 ✓

N74E. 3.50 ✓

S47E. 5.00 ✓

S44E. 3.50 ✓ Intersect. the line between Lat. 14 & 23. ~~Lat. 25~~
E. of the cor. sec. 14, 15, 22 & 23. Thruw.

S44E. 4.00 ✓

S23E. 5.50 ✓

S44E. 4.00 ✓

S34E. 5.00 ✓

S34E. 4.50

S43E. 6.00

S53E. 11.50

S34E. 8.50

S60E. 5.50

S76E. 6.50

N76E. 6.00

N35E. 6.00

N20E. 4.50

N7W. 6.00

N19W. 3.50

N43W. 5.00

N56W. 3.50

N58W. 4.50

N49W. 5.50

N49W. 5.00

N64W. 4.20

To the post at for the cor. to Lat. 14 & 23.
27.00 ch. W. of sec. cor. Thruw.

Left bank
In sec.
14.

S. N. 11 R. W. N. 1 T. 2nd Mus. (Ind.)

N24E. 10.00

N13E. 5.00

N14E. 6.50

N41E. 6.00

N59E. 14.50

N71E. 5.00

N56E. 8.50

N. 48E. 4.50

N30E. 1.23. To the post on the line between Sec. 13 & 14.
43.70. S. of the cor. House.

N56E. 6.00

N62E. 5.00

N65E. 5.00

N67E. 4.00

N54E. 3.50

N57E. 14.50 To a stream 60 links wide; from the N.E.

N47E. 13.00

N. 47E. 5.00

N70E. 3.50

N60E. 3.40 To the post on the line between Sec. 12 & 13.
24.12 West of the sec. cor. House.

N58E. 3.00

N14E. 4.00

N22W. 5.50

N43W. 15.00

N28W. 4.00

N13E. 3.50

N72E. 3.00

N83E. 6.50

East 5.50

N70E. 5.00

N40E. 6.00

N26E. 7.50

N21E. 9.00

N42E. 7.00

N24W. 3.50 Mouth of Bayou.

T. N. 11 S. T. P. No. 1 Y. P. Dads Mun. (Ind.)

N 37 W	4.00	
N 19 W	5.00	Entw. Prairie
N 1 E.	10.10.	To the post on the line between Sec. 1 & 13. 11, 12, 13, 14. West of sec. cor. three
N 30 E.	13.50	
N 9 E.	7.00	
N 7 W.	9.50	
N 3 W.	8.50	
N 6 E.	6.00	
N 29 E.	8.13.	To the post set on the line between R. 1 & 6. T. 11. N. W. P. No 1 W. & 1 E. Mun.
N 51 E.	5.00	
N 37 E.	7.50	
N 26 E.	7.00	
N 14 E.	5.00	
N 1 E.	4.00	
N 16 E.	4.50	
N 1 E.	11.00	
N 13 W.	1.82	To the post on the line between T. 11. & 12. N. W. N. 1 E. & 6. 64 N. of the line. on the N. W. Bank of White River.

Nov. 18th 1819.

Sworn by,
Thomas Johnson L.C.

I certify that the foregoing transcript of the field
notes of Township N. 11. North of Range N. 1
West of the 2nd Mer. Indiana, has been com-
pared with the original notes in the Office &
found to be correct.

Surveyor General's Office,
Cincinnati Nov. 16th 1839

C. S. Seaman
Sur. Gen.